






WIND VISION

FALC[®]



FALC



WIND									
			MOD.	HP	P.T.O.	A mm.	B mm.	A inches	
2700	70 - 160	1000	2665	2960	104,92	116,54	1326	2923	56
3200	70 - 160	1000	3184	3479	125,35	136,97	1441	3177	68
3200 DT	70 - 160	1000	3184	3479	125,35	136,97	1681	3706	68
3600	70 - 160	1000	3655	3950	143,90	155,51	1566	3452	80
4000	70 - 160	1000	4015	4310	158,07	169,69	1671	3684	88








VISION


HÄCKSLER **D**
 DESBROZADORA **E**
 ИЗМЕЛЬЧИТЕЛЬ **РУС**



- I** Abbinabile anteriormente e posteriormente al trattore
- F** Il peut être attelé à l'arrière ou à l'avant du tracteur
- GB** It can be mounted as front or rear version

- D** Vorn und hinten am Traktor ankoppelbar
- E** Acoplable al tractor anterior y posteriormente
- РУС** Можно подсоединить спереди или сзади трактора

VISION									
			MOD.	HP	P.T.O.	A mm.	B mm.	A inches	
2700	70 - 160	1000	2665	2960	104,92	116,54	1196	2637	56
3200	70 - 160	1000	3184	3479	125,35	136,97	1316	2901	68
3600	70 - 160	1000	3655	3950	143,90	155,51	1440	3175	80
4000	70 - 160	1000	4015	4310	158,07	169,69	1545	3406	88



WIND - VISION

I Velocità periferica dei coltelli

F Vitesse peripherique des couteaux

GB Tip speed of blades

D Messersumfangsgeschwindigkeit

E Velocidad periferica de las cuchillas

РУС СКОРОСТЬ ВРАЩЕНИЯ НОЖЕЙ

WIND - VISION 2700 - 3200

m/sec. 72 Inches/sec. 2835

WIND - VISION 3600 - 4000

m/sec. 61 Inches/sec. 2402

I G/M del rotore

F Rotor U/M

GB G/M do rotor

D T/M du rotor


E R/M del rotor

РУС Об/Мин ротора

WIND - VISION

2700 - 3200: N° 2058

3600 - 4000: N° 1744



1



4



9

3



7

WIND 3200 DT

1 WIND

I Macchina con slitte regolabili


F Machine avec patins réglables

GB Machine with adjustable skids

D Maschine mit einstellbarem Kufenpaar

E Máquina con patines regulables

РУС Машина с регулируемыми лыжами



2 WIND

I Macchina con rullo


F Machine avec rouleau

GB Machine with roller

D Maschine mit Walze

E Máquina con rodillo

РУС Машина с валиком



3 WIND

I Macchina con coppia ruote sterzanti


F Machine avec couple de roues braquantes

GB Machine with pair of steering wheels

D Maschine mit Steuerräderpaar

E Máquina con 2 ruedas girantes

РУС Машина с парой рулевых колес



1 VISION

I Macchina con slitte regolabili


F Machine avec patins réglables

GB Machine with adjustable skids

D Maschine mit einstellbarem Kufenpaar

E Máquina con patines regulables

РУС Машина с регулируемыми лыжами



2 VISION

I Macchina con rullo


F Machine avec rouleau

GB Machine with roller

D Maschine mit Walze

E Máquina con rodillo

РУС Машина с валиком



3 VISION

I Macchina con coppia ruote sterzanti


F Machine avec couple de roues braquantes

GB Machine with pair of steering wheels

D Maschine mit Steuerräderpaar

E Máquina con 2 ruedas girantes

РУС Машина с парой рулевых колес



FALC - Via Proventa, 41 - 48018 FAENZA (ITALIA) - e-mail: info@falc.eu - www.falc.eu

Numero nazionale:

Tel. 0546 29050

Fax 0546 663986

International number:

Tel. +39-0546 29050

Fax +39-0546 663986



FALC®